

PROTECTIVE EYEWEAR ANTI-FOG LENS CLEANING WIPES

SAFETY DATA SHEET: AFW100

PRO
PRO CHOICE SAFETY GEAR

1. IDENTIFICATION

PRODUCT IDENTIFIER

Trade name: ANTI-FOG PRE MOISTENED TISSUE
Part code: AFW100
Application of the substance/the mixture: Anti-fog tissue

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer/Supplier:
Paramount Safety Products
12 Fellowship Rd, Gnangara, Western Australia 6077
AUSTRALIA: (+61) 1300 770 723
NEW ZEALAND: (+64) 0800 770 723
Email: info@prochoicesafetygear.com

Information department:
REACH Only Representative
B-Lands Consulting
WTC, 5 Place Robert Schuman, BP 1516
38025 Grenoble, FRANCE
Tel: +33 476 295 869
Fax: +33 476 295 870
Email: europa@reach-compliance.eu
Web: www.reachteam.eu

Emergency telephone number:
AU Poisons Information - 13 11 26
NZ Poisons Centre - 0800 764 766

ISSUE DATE: JANUARY 2024
REVISION DATE: JANUARY 2029

2. HAZARDS IDENTIFICATION

LABEL ELEMENTS

Classification of the substance or mixture:
Flammable Liquids 4 H227 Combustible liquid.
Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

GHS label elements:

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS07

Signal word: Warning

Hazard-determining components of labeling:

1-methoxy-2-propanol

Hazard statements:

Combustible liquid.
May cause drowsiness or dizziness.

Precautionary statements:

Keep away from flames and hot surfaces. No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a poison center/doctor if you feel unwell.
Store in a well ventilated place. Keep container tightly closed. Keep cool.
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

PARAMOUNT SAFETY PRODUCTS AUSTRALIA

12 FELLOWSHIP ROAD,
GNANGARA, WA 6077

TECH SUPPORT: 1300 275 820

CUSTOMER SERVICE: 1300 770 723

EMAIL: INFO@PROCHOICESAFETYGEAR.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND

7 SIR WOOLF FISHER DRIVE, HIGHBROOK,
EAST TAMAKI, AUCKLAND 2013

TECH SUPPORT: 0800 888 778

CUSTOMER SERVICE: 0800 888 778

EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PROCHOICESAFETYGEAR.COM
PARAMOUNTSAFETY.COM

PRO
PRO CHOICE SAFETY GEAR

FROM

PARAMOUNT
SAFETY PRODUCTS

PROTECTIVE EYEWEAR ANTI-FOG LENS CLEANING WIPES

SAFETY DATA SHEET: AFW100

PRO
PRO CHOICE SAFETY GEAR

CLASSIFICATION SYSTEM

NFPA ratings (scale 0 - 4):



Health = 0
Fire = 2
Reactivity = 0

HMIS ratings (scale 0 - 4):



Health = 0
Fire = 2
Reactivity = 0

Other hazards: No further relevant information available.

PBT: Not applicable.

vPvB: Not applicable.

3. COMPOSITION/INFORMATION OF INGREDIENTS

HAZARDOUS COMPONENTS

107-98-2	1-Methoxy-2-propanol	Flammable Liquids 3, H226; Acute Toxicity - Inhalation 3, H331; Specific Target Organ Toxicity - Single Exposure 3, H336	25 - 50%
577-11-7	Docusate Sodium	Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315	2.5 - <10%

4. COMPOSITION/INFORMATION ABOUT INGREDIENTS

DESCRIPTION OF FIRST AID MEASURES

After inhalation: Move patient to fresh air, if symptom arise consult a doctor.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture: No further relevant information available.

ADVICE FOR FIREFIGHTERS

Protective equipment: Wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation.

Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up: No special measures required.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

PROTECTIVE ACTION CRITERIA FOR CHEMICALS

PAC-1:		
107-98-2	1-Methoxy-2-propanol	100 ppm
577-11-7	Docusate Sodium	5.7 mg/m ³
PAC-2:		
107-98-2	1-Methoxy-2-propanol	160 ppm
577-11-7	Docusate Sodium	63 mg/m ³
PAC-3:		
107-98-2	1-Methoxy-2-propanol	660 ppm
577-11-7	Docusate Sodium	380 mg/m ³

PARAMOUNT SAFETY PRODUCTS AUSTRALIA

12 FELLOWSHIP ROAD,
GNANGARA, WA 6077

TECH SUPPORT: 1300 275 820

CUSTOMER SERVICE: 1300 770 723

EMAIL: INFO@PROCHOICESAFETYGEAR.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND

7 SIR WOOLF FISHER DRIVE, HIGHBROOK,
EAST TAMAKI, AUCKLAND 2013

TECH SUPPORT: 0800 888 778

CUSTOMER SERVICE: 0800 888 778

EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PROCHOICESAFETYGEAR.COM
PARAMOUNTSAFETY.COM

PRO
PRO CHOICE SAFETY GEAR
FROM
PARAMOUNT
SAFETY PRODUCTS

PROTECTIVE EYEWEAR ANTI-FOG LENS CLEANING WIPES

SAFETY DATA SHEET: AFW100



7. HANDLING AND STORAGE

Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Store away from oxidizing agents.
Further information about storage conditions: Keep receptacle tightly sealed.
Specific end use(s): No further relevant information available.

CONDITIONS FOR
SAFE STORAGE,
INCLUDING ANY
INCOMPATIBILITIES

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL
PARAMETERS

Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

107-98-2 1-METHOXY-2-PROPANOL

REL	Short-term value: 540 mg/m ³ , 150 ppm Long-term value: 360 mg/m ³ , 100 ppm
TLV	Short-term value: 100 ppm Long-term value: 50 ppm

Additional information: The lists that were valid during the creation were used as basis.

EXPOSURE
CONTROLS

Personal protective equipment:
General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
Breathing equipment: Not necessary if room is well ventilated.
Protection of hands: Under normal conditions of use gloves are not required. Wear protective gloves if prolonged or repeated contact is likely.
Eye protection: Not relevant.
Body protection: No special measures required.

9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON
BASIC PHYSICAL
AND CHEMICAL
PROPERTIES

General Information:

Appearance - Form: Impregnated cloth (wipe)
Odor threshold: Not determined
pH-value: Not determined
Melting point/Melting range: Not determined
Boiling point/Boiling range: 120 °C (248 °F)
Flash point: 68 °C (154.4 °F)
Flammability (solid, gaseous): Not applicable
Ignition temperature: Not determined
Decomposition temperature: Not determined
Danger of explosion: Product does not present an explosion hazard
Flammability Limits:
- Lower: Not determined
- Upper: Not determined
Explosion limits:
- Lower: Not determined
- Upper: Not determined

Oxidizing properties: Not determined
Vapor pressure: Not determined
Density: Not determined
Relative density: Not determined
Vapor density: Not determined
Evaporation rate: Not determined
Solubility in/Miscibility with Water: Fully miscible
Partition coefficient (n-octanol/water): Not determined
Viscosity:
- Dynamic: Not determined
- Kinematic: Not determined
Other information: No further relevant information available.

PROTECTIVE EYEWEAR ANTI-FOG LENS CLEANING WIPES

SAFETY DATA SHEET: AFW100

PRO
PRO CHOICE SAFETY GEAR

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY

Reactivity: No data available.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

107-98-2 1-Methoxy-2-propanol

Oral	LD50	5660 mg/kg (Rat)
------	------	------------------

Dermal	LD50	13000 mg/kg (Rabbit)
--------	------	----------------------

Inhalative	LC50/4h	6 mg/L (Rat)
------------	---------	--------------

577-11-7 Docusate Sodium

Oral	LD50	1900 mg/kg (Rat)
------	------	------------------

Primary irritant effect:

- **On the skin:** No irritant effect.

- **On the eye:** Irritating effect.

Sensitization: No sensitizing effects known.

ADDITIONAL TOXICOLOGICAL INFORMATION

Carcinogenic categories:

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER)

None of the ingredients are listed

NTP (NATIONAL TOXICOLOGY PROGRAM)

None of the ingredients are listed

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION)

None of the ingredients are listed

12. ECOLOGICAL INFORMATION

TOXICITY

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes:

Water hazard class 2 (self-assessment): Hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

RESULTS OF PBT AND VPVB ASSESSMENT

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Recommendation: Do not allow product to reach sewage system.

UNCLEANED PACKAGINGS

Recommendation: Disposal must be made according to official regulations.

PARAMOUNT SAFETY PRODUCTS AUSTRALIA

12 FELLOWSHIP ROAD,
GNANGARA, WA 6077

TECH SUPPORT: 1300 275 820

CUSTOMER SERVICE: 1300 770 723

EMAIL: INFO@PROCHOICESAFETYGEAR.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND

7 SIR WOOLF FISHER DRIVE, HIGHBROOK,
EAST TAMAKI, AUCKLAND 2013

TECH SUPPORT: 0800 888 778

CUSTOMER SERVICE: 0800 888 778

EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PROCHOICESAFETYGEAR.COM
PARAMOUNTSAFETY.COM

PRO
PRO CHOICE SAFETY GEAR
FROM
PARAMOUNT
SAFETY PRODUCTS

PROTECTIVE EYEWEAR ANTI-FOG LENS CLEANING WIPES

SAFETY DATA SHEET: AFW100



14. TRANSPORT INFORMATION

UN-Number -
DOT, ADR, ADN, IMDG, IATA: Not applicable

UN proper shipping name -
DOT, ADR, ADN, IMDG, IATA: Not applicable

Transport hazard class(es) -
DOT, ADR, ADN, IMDG, IATA: Not applicable

Packing group -
DOT, ADR, IMDG, IATA: Not applicable

Environmental hazards -
Marine pollutant: No

Special precautions for user: Not applicable

Transport in bulk according to Annex II
of MARPOL73/78 and the IBC Code: Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

This Safety Data Sheet complies with the requirements of the Hazard Communication Standard (HCS) 29 CFR Parts 1910, 1915, 1917, 1918, and 1926 [Docket No. OSHA-H022K-2006-0062 (formerly Docket No. H022K)] RIN 1218-AC20 of the Occupational Safety & Health Administration (OSHA).

Sara:

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES)

None of the ingredients are listed

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS)

None of the ingredients are listed

HAZARDOUS AIR POLLUTANTS

None of the ingredients are listed

Proposition 65:

CHEMICALS KNOWN TO CAUSE CANCER

None of the ingredients are listed

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES

None of the ingredients are listed

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES

None of the ingredients are listed

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY

None of the ingredients are listed

Carcinogenic categories:

EPA (ENVIRONMENTAL PROTECTION AGENCY)

None of the ingredients are listed

TLV (THRESHOLD LIMIT VALUE)

None of the ingredients are listed

NIOSH-CA (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH)

None of the ingredients are listed

PARAMOUNT SAFETY PRODUCTS AUSTRALIA

12 FELLOWSHIP ROAD,
GNANGARA, WA 6077

TECH SUPPORT: 1300 275 820

CUSTOMER SERVICE: 1300 770 723

EMAIL: INFO@PROCHOICESAFETYGEAR.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND

7 SIR WOOLF FISHER DRIVE, Highbrook,
EAST TAMAKI, AUCKLAND 2013

TECH SUPPORT: 0800 888 778

CUSTOMER SERVICE: 0800 888 778

EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PROCHOICESAFETYGEAR.COM
PARAMOUNTSAFETY.COM



FROM

PARAMOUNT
SAFETY PRODUCTS

PROTECTIVE EYEWEAR ANTI-FOG LENS CLEANING WIPES

SAFETY DATA SHEET: AFW100



16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact:

Date of preparation/last revision: 11/17/2023

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flammable Liquids 3: Flammable liquids – Category 3

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Acute Toxicity - Inhalation 3: Acute toxicity – Category 3

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

END OF SDS

PARAMOUNT SAFETY PRODUCTS AUSTRALIA

12 FELLOWSHIP ROAD,
GNANGARA, WA 6077

TECH SUPPORT: 1300 275 820

CUSTOMER SERVICE: 1300 770 723

EMAIL: INFO@PROCHOICESAFETYGEAR.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND

7 SIR WOOLF FISHER DRIVE, HIGHBROOK,
EAST TAMAKI, AUCKLAND 2013

TECH SUPPORT: 0800 888 778

CUSTOMER SERVICE: 0800 888 778

EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PROCHOICESAFETYGEAR.COM
PARAMOUNTSAFETY.COM



FROM

PARAMOUNT
SAFETY PRODUCTS

PROTECTIVE EYEWEAR ANTI-FOG LENS CLEANING WIPES

SAFETY DATA SHEET: AFW100



PARAMOUNT SAFETY PRODUCTS AUSTRALIA
12 FELLOWSHIP ROAD,
GNANGARA, WA 6077
TECH SUPPORT: 1300 275 820
CUSTOMER SERVICE: 1300 770 723
EMAIL: INFO@PROCHOICESAFETYGEAR.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND
7 SIR WOOLF FISHER DRIVE, Highbrook,
EAST TAMAKI, AUCKLAND 2013
TECH SUPPORT: 0800 888 778
CUSTOMER SERVICE: 0800 888 778
EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PROCHOICESAFETYGEAR.COM
PARAMOUNTSAFETY.COM

