HAND PROTECTION ARAX PLATINUM GLOVES

PRODUCT DATA SHEET: APNPUD-(SIZE)

PRODUCT CODE: APNPUD-(SIZE)





FEATURES AND BENEFITS

- EN388:2016 Cut Resistance Level "F"
- ASTM Cut Level 6
- High level of cut resistance without sacrificing comfort or dexterity
- Polyurethane (PU) and nitrile sand finish coated palm
- Breathable Arax[®] liner
- Form fitting for comfortable all day wear
- Colour coded cuff for size identification
- Anti-static

APPLICATIONS

The Pro Choice Safety Gear range of hand protection is ideal for protection against risks associated with a wide range of applications in both workplace and recreational environments.

Typical applications include but are not limited to:

Metal Fabrication, Sheet Metal Handling, Glass/Tiles/Ceramics Handling, Rigging, Landscaping, Construction, Mining, Materials Handling, Demolition, Cut and Abrasion Risks.

PHYSICAL DIMENSIONS

SIZE	PALM WIDTH	GLOVE LENGTH
7	8.5cm +/-	21.5cm +/-
8	9.5cm +/-	22.5cm +/-
9	10.0cm +/-	23.5cm +/-
10	10.5cm +/-	24.5cm +/-
11	10.5cm +/-	25.5cm +/-

AVAILABLE IN

PRODUCT CODE	QUANTITY	CARTON
APNPUD-(SIZE)	12 pairs	120 pairs

PARAMOUNT SAFETY PRODUCTS AUSTRALIA

12 FELLOWSHIP ROAD, GNANGARA, WA 6077 TECH SUPPORT: 1300 275 820 CUSTOMER SERVICE: 1300 770 723 EMAIL: INFO@PROCHOICESAFETYGEAR.COM PARAMOUNT SAFETY PRODUCTS NEW ZEALAND 7 SIR WOOLF FISHER DRIVE, HIGHBROOK, EAST TAMAKI, AUCKLAND 2013 TECH SUPPORT: 0800 888 778 CUSTOMER SERVICE: 0800 888 778 EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

CUT TEST - ISO13997

Amount of pressure required to make an incision over a 20mm travel distance using a razor sharp blade.

PERFORMANCE LEVEL	NEWTON	WEIGHT
А	<2	200g
В	≥5	500g
С	≥10	1kg
D	≥15	1.5kg
E	≥22	2.2kg
F	≥30	3.0kg

PRODUCT DETAILS

Material:	Engineered Composite 13 Gauge Seamless Arax [®] Fibre Liner interwoven with Steel Thread
Dip:	Black Sand Finish PU/Nitrile Blend
Cuff Type:	Knitted
Colour:	Red, Black
Sizes:	7, 8, 9, 10, 11

STANDARDS

CE CATEGORY:

II Intermediary risks in accordance with: EN420 AS/NZS 2161.2:2005 General Requirements EN388 AS/NZS 2161.3:2016 Protection Against Mechanical Risks Results: 4X44F





PROCHOICESAFETYGEAR.COM PARAMOUNTSAFETY.COM