HEARING PROTECTION PYTHON[®] SLIMLINE NECKBAND EARMUFFS

PRODUCT DATA SHEET: EMPYTNB



PRODUCT CODE: EMPYTNB



FEATURES AND BENEFITS

- Certified to AS/NZS 1270:2002 Acoustic Hearing Protectors Class 4, ${\rm SLC}_{\rm 80}{\rm 23dB}.$
- Hearing protection for noise levels to 108dB(A).
- Hi-vis yellow for visual identification.
- Comfortable neckband configuration for extended wear.
- Robust steel wire construction for on-site demands.
- Contemporary low-profile design that withstands abuse without compromising on comfort.
- Solid, lightweight ear cup construction.
- High quality ear cushions & balanced clamping force for comfort.
- Suitable while wearing hard hat.

AVAILABLE IN

PRODUCT CODE	UOM	MOQ	CTN QTY	
EMPYTNB	EACH	1	25	

CARE INSTRUCTIONS

It is recommended that cushions be wiped clean at the end of use each day. Inspect regularly for damage, deterioration or hardening. Replace prior to further use. Proper maintenance is key for sustained performance of noise reduction equipment.

Clean cushions & liners regularly using warm soapy water. Dry prior to use. Replace hygiene kit/cushions should they begin to show signs of deterioration or hardening.

Order replacement hygiene kit for PRO Python Earmuffs - EMHKPYT.

APPLICATIONS

Insert Applications, Insert Ap

PARAMOUNT SAFETY PRODUCTS AUSTRALIA

12 FELLOWSHIP ROAD, GNANGARA, WA 6077 TECH SUPPORT: 1300 275 820 CUSTOMER SERVICE: 1300 770 723 EMAIL: INFO@PARAMOUNTSAFETY.COM PARAMOUNT SAFETY PRODUCTS NEW ZEALAND 7 SIR WOOLF FISHER DRIVE, HIGHBROOK, EAST TAMAKI, AUCKLAND 2013 TECH SUPPORT: 0800 888 778 CUSTOMER SERVICE: 0800 888 778 EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ



PRODUCT DETAILS

Weight:	255g			
Clamping Force:	13N			
Colour:	Hi-Vis Yellow			
Size:	Standard One Size			

TEST DATA

ATTENUATION TABLE (ATTENTION IN DECIBELS)									
Frequency Hz	125	250	500	1000	2000	4000	8000		
Mean Attenuation	14.0	16.2	23.1	34.7	29.4	32.9	32.0		
Standard Deviation	6.4	5.3	5.4	5.2	5.3	6.3	5.6		
Mean-Minus-Standard Deviation Attenuations	7.6	10.9	17.7	29.5	24.1	26.6	26.4		

 ${\rm SLC}_{_{\rm 80}}$ Value is 23 (Class 4)

STANDARDS

CERTIFIED TO:

AS/NZS 1270:2002 Acoustic Hearing Protectors - Class 4, SLC $_{\rm so}23dB$

When selected, used & maintained as specified in AS/NZS 1269, this protector may be used in noise up to 108dB(A) assuming an 85dB(A) criterion. A lower criterion may require a higher protector class.





PROCHOICESAFETYGEAR.COM PARAMOUNTSAFETY.COM